

Table 5.15A Received Substance Use Treatment in the Past Year, by Detailed Age Category: Numbers in Thousands, 2012 and 2013

Age Category	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	2,235	2,214	2,611	2,731	1,213	1,320	4,004	4,051
12	2	*	1	3	*	*	3	4
13	11	10	8	13	7	9	19	14
14	22	19	17	13	14	12	30	26
15	49	33	26	23	24	18	61	52
16	45	61	38	47	26	41	62	71
17	95 ^a	52	74 ^a	39	63	32	111 ^a	65
18	44	65	52	55	20	38	99	98
19	65	60	46	47	21	31	102	91
20	90	55	69	52	32	35	140 ^a	79
21	54	68	41	56	25	46	77	83
22	80	69	61	61	42	44	103	93
23	73	65	49	73	23	42	113	111
24	74	57	40	55	28	27	99	96
25	72	69	53	69	31	40	109	114
26-29	310	297	292	338	173	188	469	494
30-34	194	322	337	311	123	165	448	516
35-39	227	180	194	286	101	131	372	345
40-44	165	171	227	272	80	84	331	412
45-49	217	105	249	214	137	60	342	346
50-54	198	163	323	193	150	94	381	281
55-59	106	165	191	154	51	86	245	259
60-64	41	116	131	285	41	85	157	316
65 or Older	2	12	93	76	*	12	133	85

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.15B Received Substance Use Treatment in the Past Year, by Detailed Age Category: Percentages, 2012 and 2013

Age Category	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	0.9	0.8	1.0	1.0	0.5	0.5	1.5	1.5
12	0.0	*	0.0	0.1	*	*	0.1	0.1
13	0.3	0.2	0.2	0.3	0.2	0.2	0.5	0.3
14	0.5	0.4	0.4	0.3	0.3	0.3	0.7	0.6
15	1.2	0.8	0.6	0.6	0.6	0.4	1.5	1.3
16	1.1	1.4	0.9	1.1	0.6	1.0	1.5	1.7
17	2.2 ^a	1.3	1.7 ^a	0.9	1.5	0.8	2.6 ^a	1.6
18	0.9	1.4	1.1	1.2	0.4	0.8	2.1	2.1
19	1.5	1.4	1.1	1.1	0.5	0.7	2.4	2.2
20	2.1	1.3	1.6	1.2	0.7	0.8	3.3 ^a	1.8
21	1.2	1.6	0.9	1.3	0.6	1.1	1.7	2.0
22	1.8	1.5	1.4	1.4	0.9	1.0	2.3	2.1
23	1.7	1.5	1.1	1.7	0.5	1.0	2.6	2.5
24	1.8	1.3	1.0	1.2	0.7	0.6	2.4	2.2
25	1.8	1.7	1.3	1.7	0.8	1.0	2.7	2.8
26-29	1.8	1.7	1.7	2.0	1.0	1.1	2.7	2.9
30-34	1.0	1.6	1.7	1.5	0.6	0.8	2.3	2.6
35-39	1.2	0.9	1.0	1.5	0.5	0.7	1.9	1.8
40-44	0.8	0.8	1.1	1.3	0.4	0.4	1.6	1.9
45-49	1.0	0.5	1.2	1.1	0.6	0.3	1.6	1.7
50-54	0.8	0.7	1.4	0.8	0.6	0.4	1.6	1.2
55-59	0.5	0.8	0.9	0.7	0.2	0.4	1.2	1.3
60-64	0.2	0.7	0.8	1.6	0.2	0.5	0.9	1.8
65 or Older	0.0	0.0	0.2	0.2	*	0.0	0.3	0.2

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.16A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	2,235	2,214	2,611	2,731	1,213	1,320	4,004	4,051
AGE								
12-17	223	175	164	137	135	113	285	232
18-25	552	509	411	466	221 ^a	304	841	764
26 or Older	1,461	1,530	2,036	2,128	857	903	2,878	3,055
GENDER								
Male	1,472	1,281	1,839	1,747	863	774	2,660	2,569
Female	764	933	772	984	350	546	1,344	1,482
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,981	1,860	2,229	2,279	1,068	1,123	3,435	3,329
White	1,509	1,486	1,732	1,760	748	863	2,696	2,613
Black or African American	330	272	379	319	257	169	523	473
American Indian or Alaska Native	35	28	50	45	13	28	77	49
Native Hawaiian or Other Pacific Islander	*	9	2	9	1	9	*	17
Asian	6	27	10 ^a	68	6	25	11 ^a	86
Two or More Races	75	38	56	77	43	29	99	91
Hispanic or Latino	254	355	382	452	145	197	568	722

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.16B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	0.9	0.8	1.0	1.0	0.5	0.5	1.5	1.5
AGE								
12-17	0.9	0.7	0.7	0.6	0.5	0.5	1.1	0.9
18-25	1.6	1.5	1.2	1.3	0.6 ^a	0.9	2.4	2.2
26 or Older	0.7	0.8	1.0	1.0	0.4	0.4	1.4	1.5
GENDER								
Male	1.2	1.0	1.5	1.4	0.7	0.6	2.1	2.0
Female	0.6	0.7	0.6	0.7	0.3	0.4	1.0	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.8	1.0	1.0	0.5	0.5	1.6	1.5
White	0.9	0.9	1.0	1.0	0.4	0.5	1.6	1.5
Black or African American	1.1	0.9	1.2	1.0	0.8	0.5	1.7	1.5
American Indian or Alaska Native	2.4	2.0	3.5	3.2	0.9	2.0	5.3	3.5
Native Hawaiian or Other Pacific Islander	*	1.0	0.2	1.0	0.1	1.0	*	2.0
Asian	0.0	0.2	0.1	0.5	0.0	0.2	0.1 ^a	0.6
Two or More Races	1.8	0.9	1.3	1.8	1.0	0.7	2.4	2.1
Hispanic or Latino	0.6	0.9	0.9	1.1	0.4	0.5	1.4	1.8

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.17A Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs¹ (2012)	Illicit Drugs¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol¹ (2012)	Both Illicit Drugs and Alcohol¹ (2013)	Illicit Drugs or Alcohol^{1,2} (2012)	Illicit Drugs or Alcohol^{1,2} (2013)
TOTAL	223	175	164	137	135	113	285	232
GENDER								
Male	143	111	95	76	78	66	180	142
Female	80	64	69	61	57	47	105	90
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	174 ^a	126	127	99	105	80	225 ^a	172
White	121	90	81	70	67	53	151	129
Black or African American	29	21	25	14	20	13	41	23
American Indian or Alaska Native	2	6	4	5	2	5	6	6
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	5	*	5	*	5	*	5	1
Two or More Races	17	8	12	7	10	5	21	9
Hispanic or Latino	49	49	37	38	30	33	60	61
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	76	55	46	39	38	30	92	77
Female, White, Not Hispanic	45	34	35	32	29	23	59	52
Male, Black, Not Hispanic	14	18	12	11	8	10	23	20
Female, Black, Not Hispanic	15	3	13	3	12	3	18	3
Male, Hispanic	35	28	21	18	19	18	39	33
Female, Hispanic	14	21	16	21	11	16	21	27

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.17B Received Substance Use Treatment in the Past Year among Persons Aged 12 to 17, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs¹ (2012)	Illicit Drugs¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol¹ (2012)	Both Illicit Drugs and Alcohol¹ (2013)	Illicit Drugs or Alcohol^{1,2} (2012)	Illicit Drugs or Alcohol^{1,2} (2013)
TOTAL	0.9	0.7	0.7	0.6	0.5	0.5	1.1	0.9
GENDER								
Male	1.1	0.9	0.7	0.6	0.6	0.5	1.4	1.1
Female	0.7	0.5	0.6	0.5	0.5	0.4	0.9	0.7
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9 ^a	0.7	0.7	0.5	0.5	0.4	1.2	0.9
White	0.9	0.7	0.6	0.5	0.5	0.4	1.1	0.9
Black or African American	0.8	0.6	0.7	0.4	0.6	0.4	1.2	0.7
American Indian or Alaska Native	1.2	3.5	2.6	3.4	1.2	3.4	4.2	3.8
Native Hawaiian or Other Pacific Islander	*	*	*	*	*	*	*	*
Asian	0.4	*	0.4	*	0.4	*	0.4	0.1
Two or More Races	2.3	1.0	1.6	0.9	1.4	0.7	2.9	1.2
Hispanic or Latino	0.9	0.9	0.7	0.7	0.6	0.6	1.1	1.1
GENDER/RACE/HISPANIC ORIGIN								
Male, White, Not Hispanic	1.1	0.8	0.7	0.6	0.5	0.4	1.3	1.1
Female, White, Not Hispanic	0.7	0.5	0.5	0.5	0.4	0.3	0.9	0.8
Male, Black, Not Hispanic	0.8	1.0	0.7	0.6	0.5	0.6	1.3	1.1
Female, Black, Not Hispanic	0.9	0.2	0.7	0.2	0.7	0.2	1.0	0.2
Male, Hispanic	1.2	1.0	0.7	0.6	0.7	0.6	1.4	1.2
Female, Hispanic	0.5	0.8	0.6	0.8	0.4	0.6	0.8	1.0

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.18A Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	552	509	411	466	221 ^a	304	841	764
GENDER								
Male	387	337	280	314	162	211	573	510
Female	165	172	131	152	59	93	268	254
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	483	441	329	366	197	257	693	610
White	407	377	283	306	165	217	582	495
Black or African American	46	36	31	34	23	19	62	69
American Indian or Alaska Native	*	6	7	8	5	6	*	8
Native Hawaiian or Other Pacific Islander	*	*	2	*	0	*	6	*
Asian	1	10	1	7	1	7	2 ^a	24
Two or More Races	7	12	6	11	3	9	18	15
Hispanic or Latino	68	69	82	100	24	46	148	154
EDUCATION								
< High School	153	139	109	112	67	73	217	203
High School Graduate	190	228	140	193	77 ^b	156	303	302
Some College	191	132	137	130	64	70	288	223
College Graduate	19	10	24	30	13	4	33	36
CURRENT EMPLOYMENT								
Full-Time	188	168	177	170	94	103	308	272
Part-Time	156	141	81	129	41 ^a	88	224	204
Unemployed	127	106	76	84	56	65	167	133
Other ³	80	95	76	83	30	48	142	155

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.18B Received Substance Use Treatment in the Past Year among Persons Aged 18 to 25, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	1.6	1.5	1.2	1.3	0.6 ^a	0.9	2.4	2.2
GENDER								
Male	2.2	1.9	1.6	1.8	0.9	1.2	3.3	2.9
Female	1.0	1.0	0.8	0.9	0.3	0.5	1.6	1.5
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1.8	1.6	1.2	1.3	0.7	0.9	2.5	2.2
White	2.1	1.9	1.4	1.6	0.8	1.1	3.0	2.5
Black or African American	0.9	0.7	0.6	0.7	0.5	0.4	1.3	1.4
American Indian or Alaska Native	*	2.7	2.5	3.3	2.0	2.7	*	3.3
Native Hawaiian or Other Pacific Islander	*	*	0.8	*	0.2	*	3.0	*
Asian	0.1	0.5	0.1	0.4	0.0	0.4	0.1 ^a	1.3
Two or More Races	0.9	1.6	0.7	1.6	0.4	1.2	2.4	2.0
Hispanic or Latino	1.0	0.9	1.1	1.4	0.3	0.6	2.1	2.1
EDUCATION								
< High School	2.9	2.5	2.0	2.0	1.3	1.3	4.1	3.6
High School Graduate	1.6	1.9	1.2	1.6	0.7 ^b	1.3	2.6	2.5
Some College	1.5	1.1	1.1	1.1	0.5	0.6	2.3	1.8
College Graduate	0.4	0.2	0.5	0.6	0.3	0.1	0.6	0.7
CURRENT EMPLOYMENT								
Full-Time	1.4	1.2	1.3	1.3	0.7	0.8	2.3	2.0
Part-Time	1.7	1.5	0.9	1.3	0.4 ^a	0.9	2.4	2.1
Unemployed	3.1	2.6	1.9	2.0	1.4	1.6	4.1	3.2
Other ³	1.1	1.3	1.0	1.1	0.4	0.6	1.9	2.1

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.19A Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	1,461	1,530	2,036	2,128	857	903	2,878	3,055
GENDER								
Male	942	833	1,465	1,358	623	497	1,906	1,917
Female	519	698	571	770	234	407	972	1,137
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,323	1,293	1,773	1,814	766	786	2,518	2,547
White	981	1,019	1,368	1,384	516	593	1,962	1,988
Black or African American	255	215	323	271	214	137	420	381
American Indian or Alaska Native	13	16	40	32	6	16	48	35
Native Hawaiian or Other Pacific Islander	*	7	*	7	*	7	*	14
Asian	*	17	4 ^a	61	*	17	4 ^a	61
Two or More Races	51	18	38	59	30	15	60	67
Hispanic or Latino	137	238	263	314	91	118	360	508
EDUCATION								
< High School	388	408	537	429	294	226	701	701
High School Graduate	533	465	662	570	290	262	1,015	874
Some College	422	435	520	572	228	275	760	834
College Graduate	118	223	317 ^a	557	45	141	403	646
CURRENT EMPLOYMENT								
Full-Time	583 ^b	324	979	701	350 ^b	160	1,263	961
Part-Time	152	254	188	238	98	155	290	373
Unemployed	216	327	229	393	135	259	319	502
Other ³	509	625	640	795	274	329	1,006	1,219

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.19B Received Substance Use Treatment in the Past Year among Persons Aged 26 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	0.7	0.8	1.0	1.0	0.4	0.4	1.4	1.5
GENDER								
Male	1.0	0.9	1.5	1.4	0.7	0.5	2.0	2.0
Female	0.5	0.7	0.5	0.7	0.2	0.4	0.9	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.8	0.7	1.0	1.0	0.4	0.5	1.5	1.5
White	0.7	0.7	1.0	1.0	0.4	0.4	1.4	1.5
Black or African American	1.1	0.9	1.5	1.2	1.0	0.6	1.9	1.7
American Indian or Alaska Native	1.2	1.6	3.9	3.2	0.6	1.6	4.7	3.5
Native Hawaiian or Other Pacific Islander	*	1.2	*	1.2	*	1.2	*	2.4
Asian	*	0.2	0.0	0.6	*	0.2	0.0	0.6
Two or More Races	1.9	0.6	1.4	2.1	1.1	0.5	2.2	2.4
Hispanic or Latino	0.5	0.8	1.0	1.1	0.3	0.4	1.3	1.8
EDUCATION								
< High School	1.3	1.5	1.9	1.6	1.0	0.8	2.4	2.6
High School Graduate	0.9	0.8	1.1	1.0	0.5	0.5	1.8	1.5
Some College	0.8	0.8	1.0	1.1	0.5	0.5	1.5	1.6
College Graduate	0.2	0.3	0.5	0.8	0.1	0.2	0.6	1.0
CURRENT EMPLOYMENT								
Full-Time	0.6 ^b	0.3	0.9 ^a	0.7	0.3 ^b	0.2	1.2	0.9
Part-Time	0.7	1.1	0.8	1.0	0.4	0.6	1.2	1.5
Unemployed	2.3	4.3	2.4 ^a	5.1	1.4 ^a	3.4	3.4 ^b	6.6
Other ³	0.8	1.0	1.0	1.2	0.4	0.5	1.6	1.9

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.20A Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2012 and 2013

Demographic Characteristic	Illicit Drugs ¹ (2012)	Illicit Drugs ¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol ¹ (2012)	Both Illicit Drugs and Alcohol ¹ (2013)	Illicit Drugs or Alcohol ^{1,2} (2012)	Illicit Drugs or Alcohol ^{1,2} (2013)
TOTAL	2,012	2,040	2,447	2,594	1,078	1,207	3,719	3,818
GENDER								
Male	1,329	1,170	1,745	1,671	785	708	2,479	2,427
Female	683	870	703	922	293 ^a	500	1,239	1,391
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	1,807	1,733	2,102	2,180	963	1,043	3,211	3,157
White	1,388	1,396	1,651	1,689	681	810	2,545	2,484
Black or African American	301	251	354	305	237	156	483	450
American Indian or Alaska Native	33	22	46	40	11	22	70	43
Native Hawaiian or Other Pacific Islander	*	7	2	7	0	7	*	14
Asian	1	27	5 ^a	68	1	25	6 ^a	85
Two or More Races	57	30	44	70	33	24	78	82
Hispanic or Latino	205	306	345	414	115	164	508	662
EDUCATION								
< High School	540	547	647	540	361	299	918	904
High School Graduate	722	693	802	763	367	418	1,318	1,176
Some College	613	567	657	702	292	345	1,048	1,056
College Graduate	136	233	341 ^a	588	59	145	435	682
CURRENT EMPLOYMENT								
Full-Time	772 ^b	492	1,157	871	444 ^a	264	1,570 ^a	1,234
Part-Time	308	395	269	367	139	242	514	577
Unemployed	343	434	305	477	191	324	486	635
Other ³	590	719	716	878	304	377	1,148	1,373

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.20B Received Substance Use Treatment in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2012 and 2013

Demographic Characteristic	Illicit Drugs¹ (2012)	Illicit Drugs¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol¹ (2012)	Both Illicit Drugs and Alcohol¹ (2013)	Illicit Drugs or Alcohol^{1,2} (2012)	Illicit Drugs or Alcohol^{1,2} (2013)
TOTAL	0.9	0.9	1.0	1.1	0.5	0.5	1.6	1.6
GENDER								
Male	1.2	1.0	1.5	1.5	0.7	0.6	2.2	2.1
Female	0.6	0.7	0.6	0.7	0.2 ^a	0.4	1.0	1.1
HISPANIC ORIGIN AND RACE								
Not Hispanic or Latino	0.9	0.9	1.0	1.1	0.5	0.5	1.6	1.6
White	0.9	0.9	1.1	1.1	0.4	0.5	1.6	1.6
Black or African American	1.1	0.9	1.3	1.1	0.9	0.6	1.8	1.6
American Indian or Alaska Native	2.5	1.8	3.6	3.2	0.9	1.8	5.4	3.4
Native Hawaiian or Other Pacific Islander	*	0.9	0.2	0.9	0.0	0.9	*	1.8
Asian	0.0	0.2	0.0 ^a	0.6	0.0	0.2	0.1 ^a	0.7
Two or More Races	1.7	0.8	1.3	2.0	1.0	0.7	2.3	2.3
Hispanic or Latino	0.6	0.9	1.0	1.2	0.3	0.5	1.5	1.9
EDUCATION								
< High School	1.6	1.7	1.9	1.7	1.1	0.9	2.7	2.8
High School Graduate	1.0	1.0	1.2	1.1	0.5	0.6	1.9	1.7
Some College	1.0	0.9	1.0	1.1	0.5	0.5	1.7	1.7
College Graduate	0.2	0.3	0.5	0.8	0.1	0.2	0.6	0.9
CURRENT EMPLOYMENT								
Full-Time	0.7 ^b	0.4	1.0 ^a	0.7	0.4 ^a	0.2	1.3 ^a	1.0
Part-Time	0.9	1.2	0.8	1.1	0.4	0.7	1.6	1.7
Unemployed	2.5	3.7	2.2 ^a	4.0	1.4 ^a	2.7	3.6 ^a	5.4
Other ³	0.8	1.0	1.0	1.2	0.4	0.5	1.6	1.9

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

³ The Other Employment category includes students, persons keeping house or caring for children full time, retired or disabled persons, or other persons not in the labor force.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.21A Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Numbers in Thousands, 2012 and 2013

Geographic Characteristic	Illicit Drugs¹ (2012)	Illicit Drugs¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol¹ (2012)	Both Illicit Drugs and Alcohol¹ (2013)	Illicit Drugs or Alcohol^{1,2} (2012)	Illicit Drugs or Alcohol^{1,2} (2013)
TOTAL	2,235	2,214	2,611	2,731	1,213	1,320	4,004	4,051
GEOGRAPHIC DIVISION								
Northeast	463	471	487	508	226	221	770	822
New England	118	146	152	113	44	54	231	216
Middle Atlantic	345	325	335	395	182	167	540	606
Midwest	458	451	567	534	251	246	859	820
East North Central	326	292	405	354	186	149	617	557
West North Central	133	159	162	180	65	97	242	263
South	717	729	760	932	375	464	1,221	1,323
South Atlantic	458	377	439	465	238	243	716	655
East South Central	73	138	80	131	19	68	151	219
West South Central	186	214	241	335	118	154	354	449
West	596	564	797	757	361	389	1,153	1,086
Mountain	237	165	241	214	132	59	386	369
Pacific	359	399	556	543	229	329	768	717
COUNTY TYPE								
Large Metro	1,155	1,211	1,319	1,470	590	733	2,069	2,198
Small Metro	800	610	913	845	472	364	1,388	1,224
250K – 1 Mil. Pop.	500	405	604	635	307	248	878	889
< 250K Pop.	300	205	309	210	165	116	510	336
Nonmetro	281	393	379	417	152	222	547	628
Urbanized	169	147	189	172	96	87	275	263
Less Urbanized	94 ^a	232	123	204	40 ^a	131	189	315
Completely Rural	18	13	68	40	16	5	83	50

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.

Table 5.21B Received Substance Use Treatment in the Past Year among Persons Aged 12 or Older, by Geographic Characteristics: Percentages, 2012 and 2013

Geographic Characteristic	Illicit Drugs¹ (2012)	Illicit Drugs¹ (2013)	Alcohol (2012)	Alcohol (2013)	Both Illicit Drugs and Alcohol¹ (2012)	Both Illicit Drugs and Alcohol¹ (2013)	Illicit Drugs or Alcohol^{1,2} (2012)	Illicit Drugs or Alcohol^{1,2} (2013)
TOTAL	0.9	0.8	1.0	1.0	0.5	0.5	1.5	1.5
GEOGRAPHIC DIVISION								
Northeast	1.0	1.0	1.0	1.1	0.5	0.5	1.6	1.7
New England	1.0	1.2	1.2	0.9	0.4	0.4	1.9	1.7
Middle Atlantic	1.0	0.9	1.0	1.1	0.5	0.5	1.6	1.7
Midwest	0.8	0.8	1.0	0.9	0.4	0.4	1.5	1.5
East North Central	0.8	0.7	1.0	0.9	0.5	0.4	1.6	1.4
West North Central	0.8	0.9	0.9	1.0	0.4	0.6	1.4	1.5
South	0.7	0.7	0.8	1.0	0.4	0.5	1.3	1.4
South Atlantic	0.9	0.7	0.9	0.9	0.5	0.5	1.4	1.3
East South Central	0.5	0.9	0.5	0.8	0.1	0.4	1.0	1.4
West South Central	0.6	0.7	0.8	1.1	0.4	0.5	1.2	1.5
West	1.0	0.9	1.3	1.2	0.6	0.6	1.9	1.8
Mountain	1.3	0.9	1.3	1.1	0.7	0.3	2.1	2.0
Pacific	0.9	0.9	1.3	1.3	0.5	0.8	1.8	1.7
COUNTY TYPE								
Large Metro	0.8	0.9	0.9	1.0	0.4	0.5	1.5	1.6
Small Metro	1.0	0.8	1.2	1.1	0.6	0.5	1.8	1.6
250K – 1 Mil. Pop.	0.9	0.8	1.1	1.2	0.6	0.5	1.7	1.7
< 250K Pop.	1.2	0.8	1.2	0.8	0.6	0.5	2.0	1.3
Nonmetro	0.7	0.9	0.9	1.0	0.4	0.5	1.3	1.5
Urbanized	0.9	0.8	1.0	0.9	0.5	0.5	1.5	1.4
Less Urbanized	0.5 ^a	1.2	0.6	1.1	0.2 ^a	0.7	1.0	1.7
Completely Rural	0.4	0.3	1.4	0.9	0.3	0.1	1.7	1.1

*Low precision; no estimate reported.

NOTE: Received Substance Use Treatment refers to treatment received in order to reduce or stop illicit drug or alcohol use, or for medical problems associated with illicit drug or alcohol use. It includes treatment received at any location, such as a hospital (inpatient), rehabilitation facility (inpatient or outpatient), mental health center, emergency room, private doctor's office, self-help group, or prison/jail.

^a Difference between estimate and 2013 estimate is statistically significant at the 0.05 level.

^b Difference between estimate and 2013 estimate is statistically significant at the 0.01 level.

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically, including data from original methamphetamine questions but not including new methamphetamine items added in 2005 and 2006.

² Estimates include persons who received treatment specifically for illicit drugs or alcohol, as well as persons who received treatment but did not specify for what substance(s).

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2012 and 2013.